BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA12280**

SAMPLE RECEIVED
November 5, 2026

COA ISSUED
November 10, 2026

SAMPLE INFORMATION

Vendor
Biotech Compounds

Sample Name
KLOW 80mg

Sample Type
Blue lyophilized powder

Lot Number
202611-01-KLOW

Molecular Weight
342.4, 403.2, 1419.5, 4964.2 g/mol

ANALYTICAL METHODS


Identity: Confirmed via LC–MS/MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation


TEST RESULTS

Specification	Result	Method	Status
Identity: KLOW	KPV,GHK-Cu,BPC-157,TB-500	LC-MS/MS	✓ Conforms
Content	10.74,51.25,11.87,10.64 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.81%	RP-HPLC (214 nm)	✓ Conforms

HPLC Chromatogram · Retention Time 1.890 , 2.028 , 9.175 , 9.263 **min**







Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at **bioviridians.com/coa-search.html** using the Web Verification Code above.

info@bioviridians.com

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.